

GREAT STUFF PRO™ SERIES



FLEXIBLE WITHOUT COMPROMISE

GREAT STUFF PRO™ Window & Door Polyurethane Foam Sealant

Features and benefits

- Meets ASTM E2112 standards
- Low-pressure build formulation at 0.08 psi; 0.55 kPa (average)(gun foam) per AAMA 812-04
- When properly installed is proven not to bow or distort frame
- Reusable for 30 days when left attached to GREAT STUFF PRO™ Dispensing Gun
- Soft, pliable, easy to stuff back into the gap without trimming
- Bonds to vinyl, wood and metal frames
- Fireblock formulated¹
- Tack-free in 3-10 minutes²; trimmable in one hour
- Yellow-colored foam for easy identification
- UL classified
- One 20 oz can (gun-applied) foams 8-11 average-sized residential windows³

GREAT STUFF PRO™ Window & Door Polyurethane Foam Sealant quickly and cleanly forms airtight, water-resistant seals between framework and rough openings with precision.

Close the gap

GREAT STUFF PRO™ Window & Door Polyurethane Foam Sealant is a specially formulated, minimal-expanding foam with a low pressure-build that remains soft and flexible after curing. Foam can be formed without trimming to create long-lasting, airtight and water-resistant seals proven not to bow window or door frames when properly installed.

Available in a 20 oz gun-applied version, you can achieve better window or door installation by pairing GREAT STUFF PRO™ Window & Door with the GREAT STUFF PRO™ Dispensing Gun. Featuring a no-drip precision application, the dispensing gun provides total control over every seal, ensuring professionals get the maximum yield out of every can.

GREAT STUFF PRO™ Window & Door helps to prevent drafts, repels water and more, resulting in higher quality installation, improved home comfort and greater customer satisfaction.



¹Intended for use in residential application to maintain the continuity of an approved fireblock material.
²70 ±5°F and 50 ±5%RH, 1 inch bead diameter, 6 inch length. Cure rate is dependent on temperature, humidity and size of foam bead.
³Based on average-sized windows 36x60 inches, 3/8-inch-wide gap, and 1-inch deep.

Where to use GREAT STUFF PRO™ Window & Door Polyurethane Foam Sealant

Use GREAT STUFF PRO™ Window & Door Polyurethane Foam Sealant to seal around windows and doors and their rough openings.



Indoor use



Doors and their rough openings



Windows and their rough openings



Windows and their rough openings



Doors and their rough openings

PRO Series Foam Dispensing Guns

GREAT STUFF PRO™ 14 Dispensing Gun

GREAT STUFF PRO™ 14XL Long Barrel Dispensing Gun

- Precision application
- High yield
- No-drip dispensing
- 30-day restartability



Formulated for the Pros

Count on GREAT STUFF PRO™ Polyurethane Foams to help you handle the toughest jobs.

- GREAT STUFF PRO™ Construction Adhesive
- GREAT STUFF PRO™ Gaps & Cracks
- GREAT STUFF PRO™ Window & Door
- GREAT STUFF PRO™ Pestblock
- GREAT STUFF PRO™ Foam Cleaner



For more information, visit us at greatstuff.com or call 1-866-583-2583

NOTICE: No freedom from any patent owned by DuPont or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where DuPont is represented. The claims made may not have been approved for use in all countries or regions. DuPont assumes no obligation or liability for the information in this document. References to "DuPont" or the "Company" mean the DuPont legal entity selling the products to Customer unless otherwise expressly noted. NO EXPRESS WARRANTIES ARE GIVEN EXCEPT FOR ANY APPLICABLE WRITTEN WARRANTIES SPECIFICALLY PROVIDED BY DUPONT. ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. The buyer assumes all risks as to the use of the material. Buyer's exclusive remedy or any claim (including without limitations, negligence, strict liability, or tort) shall be limited to the refund of the purchase price of the material. Failure to strictly adhere to any recommended procedures shall release DuPont Specialty Products USA, LLC or its affiliates, of all liability with respect to the materials or the use thereof. The information herein is not intended for use by non-professional designers, applicators or other persons who do not purchase or utilize this product in the normal course of their business.

DuPont Polyurethane Foam Insulation and Sealants

CAUTION: When cured, these products are combustible and will burn if exposed to open flame or sparks from high-energy sources. Do not expose to temperatures above 240°F (116°C). For more information, consult (Material) Safety Data Sheet (M)SDS, call DuPont at 1-866-583-BLUE (2583) or contact your local building inspector. In an emergency, call 1-989-636-4400 in the U.S. or 1-519-339-3711 in Canada.

Great Stuff™ contains isocyanate and a flammable blowing agent. Read all instructions and (Material) Safety Data Sheet ((M)SDS), carefully before use. Eliminate all sources of ignition before use. Cover all skin. Wear long sleeves, gloves, and safety glasses or goggles. Not for use in aviation, or food/beverage contact, or as structural support in marine applications. Provide adequate ventilation or wear proper respiratory protection. Contents under pressure. Not to be used for filling closed cavities or voids such as behind walls and under tub surrounds; this improper use of the product could result in the accumulation of flammable vapors and/or uncured material. Failure to follow the warnings and instructions provided with the product, and/or all applicable rules and regulations, can result in injury or death.

Building and/or construction practices unrelated to building materials could greatly affect moisture and the potential for mold formation. No material supplier including DuPont can give assurance that mold will not develop in any specific system.

© 2021 DuPont. All rights reserved. DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted.